


jrtechlabs
pvt. ltd.

Innovations
Customized

WALL
MOUNT RACK

SS SERIES



PRODUCT SUMMARY

JR offers a versatile range of single section wall mount racks to suit small secured network requirements.

Wall mount racks are the ideal solution where the floor space is a limitation, typical networking equipment like routers, switches, patch panels, etc. are well accommodated in the rack.

JR single section wall mount racks are fabricated out of C.R.C.A Steel Sheet CNC programmed, punched, bent, welded and powder coated with the highest quality under confirming Industrial, ISO 9001-2015 and 14001-2015 Standards. Manufacturing and quality management systems to ensure the highest quality product.

JR single section wall mount racks are welded frame integrated with side panel / removable side panel, vented top cover with 2 fans and cable entry provision, bottom cover with ventilation and cable entry provision

associated with front toughened glass door along with lock and key and provision to mount on the wall.

JR single section wall mount racks are available from 4 U to 15 U variants with 400, 500, and 600mm deep configuration.





TECHNICAL DATA

BASIC FRAME	C.R.C.A Steel Sheet
CONSTRUCTION	Welded (0.8mm Thickness)
SIDE PANELS	Integrated with top and bottom covers or (Removable type-on-request)
TOP AND BOTTOM PANEL	Vented with fan and cable entry provision
FRONT DOOR	Lockable toughened glass door (4mm) with ventilation
STANDARD MOUNTING	DIN 41494 10mm. square slot
STANDARD FINISH	Powder Coating
STANDARD COLOR	Dark Grey and Light Grey or Black
STATIC LOAD	25 Kgs / 30Kgs / 35Kgs / 40Kgs / 45Kgs




PRODUCT CODES AND DIMENSIONS

PART CODE	Total Height in MM (H)	Usable Height in U (H)	Total Width in MM (W)	Usable Width in Inches (W)	Total Depth in MM (D)	Usable Depth in MM (D)
JR-SS-5540-04U	256	04U	550	19"	450	400
JR-SS-5540-06U	347	06U	550	19"	500	450
JR-SS-5540-09U	480	09U	550	19"	550	500
JR-SS-5540-12U	613	12U	550	19"	600	550
JR-SS-5540-15U	747	15U	550	19"	400	350
JR-SS-5550-04U	256	04U	550	19"	500	450
JR-SS-5550-06U	347	06U	550	19"	500	450
JR-SS-5550-09U	480	09U	550	19"	500	450
JR-SS-5550-12U	613	12U	550	19"	500	450
JR-SS-5550-15U	747	15U	550	19"	500	450
JR-SS-5560-04U	256	04U	550	19"	600	550
JR-SS-5560-06U	347	06U	550	19"	600	550
JR-SS-5560-09U	480	09U	550	19"	600	550
JR-SS-5560-12U	613	12U	550	19"	600	550
JR-SS-5560-15U	747	15U	550	19"	600	550



PRODUCT FEATURES



- ◆ Conforms to DIN 41494 OR equivalent ISO Standard.
- ◆ Adjustable 4 nos. 19" angles with punched 10mm square holes and universal 12.7mm. 15.875. Alternating holes format offers for better mounting flexibility and maximizes usable mounting space.
- ◆ Depth adjustable mounting slots.
- ◆ Precision engineering capabilities and best efficient software configuration product technology provide the best product quality and fastest delivery in the industry.
- ◆ Top and bottom Panel with ventilation and cable entry facility.
- ◆ Screws -Package
- ◆ Rubber closure for cable entry holes (top & bottom), 19" adjustable front & rear rails
- ◆ Provision to mount the cooling fans on the top panel.
- ◆ Powder coated finish with 7 Tank pretreatment process meeting ASTM standards.
- ◆ Mounting Angle:1.2mm
- ◆ 100% assured compatibility with all equipment conforming to DIN 41494 (General industrial standard for equipment).

Optional Accessories

Grounding & Bonding Kit, Power Distribution Box, Instrument Cooling Fans, Cable Manager (Loop / Channel) Cantilever Shelves 250mm

JR Techlabs Pvt Ltd

G-4 Royal Tower, A20 1st Cross West,
Thillai Nagar, Trichy - 620 018,

 jrtechlabs.com

 sales@jrtechlabs.com

 + 91 8903560009

 + 91 9443750002